




FE



PRESSURE CAPSULE DETAILS




No.	Description
1	100% Cotton T-shirt
2	100% Cotton T-shirt
3	100% Cotton T-shirt
4	100% Cotton T-shirt
5	100% Cotton T-shirt
6	100% Cotton T-shirt
7	100% Cotton T-shirt
8	100% Cotton T-shirt
9	100% Cotton T-shirt
10	100% Cotton T-shirt
11	100% Cotton T-shirt
12	100% Cotton T-shirt
13	100% Cotton T-shirt
14	100% Cotton T-shirt
15	100% Cotton T-shirt
16	100% Cotton T-shirt
17	100% Cotton T-shirt
18	100% Cotton T-shirt
19	100% Cotton T-shirt
20	100% Cotton T-shirt
21	100% Cotton T-shirt
22	100% Cotton T-shirt
23	100% Cotton T-shirt
24	100% Cotton T-shirt
25	100% Cotton T-shirt
26	100% Cotton T-shirt
27	100% Cotton T-shirt
28	100% Cotton T-shirt
29	100% Cotton T-shirt
30	100% Cotton T-shirt
31	100% Cotton T-shirt
32	100% Cotton T-shirt
33	100% Cotton T-shirt
34	100% Cotton T-shirt
35	100% Cotton T-shirt
36	100% Cotton T-shirt
37	100% Cotton T-shirt
38	100% Cotton T-shirt
39	100% Cotton T-shirt
40	100% Cotton T-shirt
41	100% Cotton T-shirt
42	100% Cotton T-shirt
43	100% Cotton T-shirt
44	100% Cotton T-shirt
45	100% Cotton T-shirt
46	100% Cotton T-shirt
47	100% Cotton T-shirt
48	100% Cotton T-shirt
49	100% Cotton T-shirt
50	100% Cotton T-shirt
51	100% Cotton T-shirt
52	100% Cotton T-shirt
53	100% Cotton T-shirt
54	100% Cotton T-shirt
55	100% Cotton T-shirt
56	100% Cotton T-shirt
57	100% Cotton T-shirt
58	100% Cotton T-shirt
59	100% Cotton T-shirt
60	100% Cotton T-shirt
61	100% Cotton T-shirt
62	100% Cotton T-shirt
63	100% Cotton T-shirt
64	100% Cotton T-shirt
65	100% Cotton T-shirt
66	100% Cotton T-shirt
67	100% Cotton T-shirt
68	100% Cotton T-shirt
69	100% Cotton T-shirt
70	100% Cotton T-shirt
71	100% Cotton T-shirt
72	100% Cotton T-shirt
73	100% Cotton T-shirt
74	100% Cotton T-shirt
75	100% Cotton T-shirt
76	100% Cotton T-shirt
77	100% Cotton T-shirt
78	100% Cotton T-shirt
79	100% Cotton T-shirt
80	100% Cotton T-shirt
81	100% Cotton T-shirt
82	100% Cotton T-shirt
83	100% Cotton T-shirt
84	100% Cotton T-shirt
85	100% Cotton T-shirt
86	100% Cotton T-shirt
87	100% Cotton T-shirt
88	100% Cotton T-shirt
89	100% Cotton T-shirt
90	100% Cotton T-shirt
91	100% Cotton T-shirt
92	100% Cotton T-shirt
93	100% Cotton T-shirt
94	100% Cotton T-shirt
95	100% Cotton T-shirt
96	100% Cotton T-shirt
97	100% Cotton T-shirt
98	100% Cotton T-shirt
99	100% Cotton T-shirt
100	100% Cotton T-shirt

1. Pressure port (S.S.)*
2. Support spring (S.S.)
3. Bottom flange (S.S.)
4. Support plate (Aluminium)
5. Diaphragm (Neoprene)
6. Gasket (Nitrile)
7. Top plate (Aluminium)
8. Top flange (S.S.)
9. Plunger (Aluminium)
10. Top flange screw (S.S.)
11. Sealing 'O' ring (Nitrile)

*Pressure port is welded with flange

Note : *wetted parts* are mentioned in italics.

INSTALLATION DRAWING



APPROX. DIMENSIONS IN $\frac{\text{mm}}{\text{inches}}$

FC/FE LOW RANGE COMPOUND SWITCHES

RANGE SELECTION TABLE

Range Code	Range mbar ("Wc)	Differential* mm wc ("Wc)	Maximum Working Pressure bar (psi)
		Approximate Maximum for "A1" microswitch	
CL2	-15 to 15 (-6.030 to 6.030)	40.0 (1.574)	2.0 (29.00)
CL3	-25 to 25 (-10.047 to 10.047)	60.0 (2.362)	2.0 (29.00)
CL5	-50 to 50 (-20.093 to 20.093)	100.0 (3.937)	2.0 (29.00)
CLX	-100 to 100 (-40.186 to 40.186)	150.0 (5.90)	2.0 (29.00)

Note:

1. The minimum differential increases with the setpoint. The differential values mentioned in the above table are approximate maximum for FSR. The differential value will vary according to the pressure range selected and microswitch type. For actual values of differential please contact sales office.

2. When using 2SPDT switching arrangement, both microswitches may not actuate and/or deactuate at the same point. A small stage gap, normally upto +/- 5% FSR (depending on range code) may be observed. The On-Off differential (hysteresis) typically tends to be atleast double of those published for 1SPDT pressure switches.

If actuation and/or deactuation at same point is critical part of operation, then it can be achieved by using a separate DPDT relay. This relay will need a separate power supply for it's coil.

HOW TO ORDER LOW RANGE COMPOUND SWITCHES

Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8
Non standard allocation	Model	Cable Entry Size	Switch Type	Range Code (values in mbar)	Microswitch Type	Pressure Port Material / Size	Diaphragm
☐ A prefix "N" is used in the model code in case of any non standard options / accessories that are provided with the switches. Will be given by manufacturer, only after agreement of supply details with customer. The prefix is subject to change as per specific requirement.	FC = IP66 Flameproof pressure switch, ATEX, IECEx & PESO approved FE = IP66 Flameproof pressure switch, PESO approved	1 = Al. head ½" NPT threads 2 = Al. head ¾" NPT threads 3 = Al. head M20 x 1.5 threads *4 = Grey Cl head ½" NPT threads *5 = Grey Cl head ¾" NPT threads *6 = Grey Cl head M20 x 1.5 threads 7 = SS head ½" NPT threads 8 = SS head ¾" NPT threads 9 = SS head M20 x 1.5 threads	C1 = Compound switch, fixed differential without scale	CL2 = (1.5 - 15) CL3 = (-25 - 25) CL5 = (-50 - 50) CLX = (-100 - 100)	A1 = General purpose microswitch rated at 15 A; 250 VAC *A6 = elements with adjustable deadband *A7 = 2SPDT switching elements A8 = General purpose microswitch rated at 5 A, 250 VAC; 5 A, 28 VDC *B7 = 2SPDT Switching Elements C6 = 1SPDT Adjustable Differential	S1 = SS316 / ¼" BSP(F) S2 = SS316 / ¼" NPT(F)	0 = Neoprene 1 = PTFE
	Approx. switch weight in Kgs		Please refer to page nos. 120 & 121 for options and specifications of microswitches * Please contact sales office for additional information				
		For adjustable differential please select microswitches A6 or C6 in group 6		More options available, please contact sales office			
		*Not available in FE models					

eg. Flameproof switch for gas group IIC, with 1/2" NPT cable entry in aluminium housing as 1SPDT pressure switch, having -150 to 150 mm Wc pressure range, with 15Amp. microswitch, SS316 pressure housing with 1/4" BSP port size & neoprene diaphragm shall be specified by

Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8
☐	FC	1	C1	CL2	A1	S1	0

Please specify full model number to avoid ambiguity.

LOW RANGE COMPOUND SWITCHES

FC/FE